

# EasyLogic CL CO2 Sensor- Wall mounted 0 to 2000 ppm, 3% Analog

CL-AI-C2-SE

## Main

Range	EasyLogic
Range of product	EasyLogic
Product or component type	CO2 sensor
Type of measurement	CO2
Mounting support	Wall mounted
Depth	86 mm
Height	32.2 mm
Net weight	100 g
Width	86 mm
Ambient air temperature for operation	-1050 °C
Ambient air temperature for storage	-2070 °C
Standards	EN 61326-1
Colour	White/green
[Us] rated supply voltage	24 V AC 24 V DC
Device presentation	Complete device
targeted region	Asia Pacific.

## **Environment**

Measurement accuracy	+/- 3 %
Humidity setting range	095 %
Temperature setting range	-2070 °C
Type of measurement	Carbon dioxide (CO2)

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.6 cm
Package 1 Width	9.1 cm
Package 1 Length	9.3 cm
Package 1 Weight	140 g



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	164	
Environmental Disclosure	Product Environmental Profile	

### **Use Better**

EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No